

COMMERCIAL/INDUSTRIAL WORKLIGHTS

Corrosion Resistant

Impact Resistant

Non-Conductive



WF Harris Lighting

Model 1200 Worklights



- Frosted clear impact-resistant UV-stabilized polycarbonate lens.
- UV-stabilized polycarbonate impact-resistant housing in safety yellow. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Driver warranted for 5 years by driver manufacturer.
- Heavy-duty model: 14-3 SJOOW black cord, liquid-tight strain relief flex nut.
- Standard model: oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- Convenience outlet on heavy-duty model.
- Two magnets, 180 lbs pull strength each.
- Rubber booted water-resistant toggle switch.
- Heavy duty model includes switch guard.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- ETL-US and ETL-C Listed (UL 153).
- Meets OSHA Code Requirements.
- 4,000 Lumens. 46Watts.

1200-WL-LED-4K

Standard Worklight

1200-WL-HD-LED-4K

Heavy Duty Worklight

Available with Safety Yellow Housing

Model 30 Worklights



- Frosted clear impact-resistant UV-stabilized polycarbonate lens.
- UV-stabilized polycarbonate impact-resistant housing in safety yellow or black molded-in color. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Driver warranted 5 years by driver manufacturer.
- Oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- One magnet, 90 lbs pull strength.
- Rubber booted water-resistant toggle switch.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- Daisy-Chain Option (shown at left) has same components/features except includes an additional eight-inch female cord with the six-foot male cord.
- ETL-US and ETL-C Listed (UL 153).
- Meets OSHA Code Requirements.
- 1038 Lumens. 14.5 Watts.

30-WL-LED


Compact Worklight

30-WL-LED-Daisy

Compact Worklight with Daisy-Chain Option

Available with Safety Yellow Housing

Model 100 Worklight



- Clear prismatic impact-resistant UV-stabilized polycarbonate lens.
- Housing (white) constructed of fiberglass reinforced polyester. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Driver warranted for 5 years by driver manufacturer.
- Oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- Two magnets, 90 lbs pull strength each.
- Rubber booted water-resistant push-type switch.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- Two pairs of stainless steel suitcase style latches.
- Optional cart constructed of 13 guage red enamel painted steel.
- Oil-resistant casters rated 75 lbs each.
- ETL-US and ETL-C Listed (UL153).
- 4,400 Lumens. 42 watts.

100-WL-LED -4K4

Linear Worklight

100-WL-LED-4K4 -CT-WL

Linear Worklight with Cart

CT-WL

Optional Model 100 Worklight Cart

Model 1200 Worklights with Battery Backup

- Frosted clear impact-resistant UV-stabilized polycarbonate lens.
- UV-stabilized polycarbonate impact-resistant housing in safety yellow. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Drivers warranted for 5 years by driver manufacturer.
- Nickel Cadmium Battery Pack warranted for 5 years by battery pack manufacturer.
- Heavy-duty model: 14-3 SJOOW black cord, liquid-tight strain relief flex nut.
- Standard model: oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- Convenience outlet on heavy-duty model.
- Two magnets, 180 lbs pull strength each.
- Rubber booted water-resistant toggle switch.
- Heavy duty model includes switch guard.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- ETL-US and ETL-C Listed (UL 153)
- Meets OSHA Code Requirements.
- 4,000 Lumens. 50 Watts.

1200-WL-LED-4K-BB

Standard Worklight with Battery Backup

1200-WL-HD-LED-4K-BB

Heavy Duty Worklight with Battery Backup

Available with Safety Yellow Housing



Model 30 Worklight with Battery Backup

- Frosted clear impact-resistant UV-stabilized polycarbonate lens.
- UV-stabilized polycarbonate impact-resistant housing in safety yellow or black molded-in color. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Drivers warranted 5 years by driver manufacturer.
- Nickel Cadmium Battery Pack warranted for 5 years by battery pack manufacturer.
- Oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- One magnet, 90 lbs pull strength.
- Rubber booted water-resistant toggle switch.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- ETL-US and ETL-C Listed (UL 153).
- Meets OSHA Code Requirements.
- 1000 Lumens. 19 Watts.

30-WL-LED-BB

Compact Worklight with Battery Backup

Available with Safety Yellow Housing




Model 200 Worklight

- Clear prismatic impact-resistant UV-stabilized polycarbonate lens.
- Housing (white) constructed of fiberglass reinforced polyester. Other housing options available; consult factory for colors and availability.
- High quality lighting grade LEDs.
- Driver warranted 5 years by driver manufacturer.
- Oil/water resistant 18 SJTOW black cord with liquid-tight strain relief nut.
- Rubber booted water-resistant toggle switch.
- Eyebolt allows overhead mounting by chain or hook (neither included).
- Three pairs of stainless steel suitcase style latches.
- ETL-US and ETL-US Listed (UL 153).
- 8,800 Lumens. 92 Watts.

200-WL-LED-8K8

Linear Worklight



***Low heat / Long life.
LEDs will not break when dropped.
Low power use.***



Look for other rustproof, vandal resistant, nonconductive, energy efficient products on our web site at www.wfharrislighting.com or have your W. F. Harris Lighting Sales Representative or Distributor demonstrate how W. F. Harris Lighting can meet your illumination requirements.

What Kind Of Luminaire Do You Need? We Can Help!

High Abuse
Worklights
Floodlights
Decorative Lighting
Emergency Lighting

Rough Service
Linear Lighting
Landscape Lighting
High Intensity Discharge Fixtures

Indoor/Outdoor
Spotlights
Lighting with Graphics
Wall Packs

What Location Requirements or Applications Can Our Products Satisfy?

Schools and Universities
Warehouses and Manufacturing Facilities
Military Housing and Field Units
Boat/Ship Building, Repair and Maintenance
Environmentally Responsible Lighting
Motor Transport Repair and Maintenance

Hotels and Motels
Farms and Agricultural Buildings
Marine Docks and Piers
Marinas and Boathouses
Freezer and Cold Storage Facilities
Aviation Production, Repair and Maintenance

Condominiums and Apartments
Restaurants/Food Industry
Boat and Yacht Lighting
Beach and Coastal Lighting
Residential/Commercial/Industrial

Please note: Technology on Battery Pack Systems is progressing quickly. Please contact us for latest product availability.



Made in USA

In Business Since 1970!

TAA COMPLIANT
TRADE AGREEMENT ACT COMPLIANT

WF Harris Lighting

Innovative Lighting Designs Since 1970

4015 Airport Ext. Road • Monroe, NC 28110

(800) 842-9345 (TOLL FREE) • (704) 283-7477 (MAIN OFFICE) • (704) 283-6880 (FAX)

WWW.WFHARRISLIGHTING.COM • E-MAIL: CUSTOMERSERVICE@WFHARRIS.COM